








”

We feel strongly that good old-fashioned face-to-face meetings are wonderful for communication, understanding and collaboration. We'd love to meet with you!

Meet Real Makers



-  Kumbalangadu, Thrissur
-  04884 234090, 7736388467
-  info@mergemechano.com
-  www.mergemechano.com



📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

ALU Series (Dent Puller)

XMD.06 COMBO LINE

Combination machine with both aluminium / steel body repair mode that helps to remove the dent from vehicle body.

Operating Mode :
Automatic and Manual Triggering

Specifications

Steel Body

Input : 230 V AC
Output : 11.5 K VA
Output Cable + : 70 mm² x 2 mtr
Output Cable + : 50 mm² x 2 mtr
Output Cable - : 70 mm² x 2 mtr

Aluminium Body

Input : 230 V AC
Output : 0 to 90 V DC
I/P Power : 500W (max)
Energy O/P : Capacitor Discharge
Discharge Time : 10 to 100 mts
Stud : M5 x 16 mm
Output Cable + : 50 mm² x 2 mtr
Output Cable - : 50 mm² x 2 mtr
Suitable for luxury vehicles
Benz, BMW, Jaguar, Audi, etc.



Dimensions : 1800 x 750 x 700 (mm)
Weight : 145 kg
Accessories : Standard





📍 Kumbalangadu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Pro Series (Dent Puller)

XMD.01 DIGITAL

A digital dent repair system with compact design and user-friendly operation.

Operating Mode : Manual Triggering

Specifications

Input	: 230 V AC - 50 Hz
Output	: 10 K VA
Output Cable +	: 50 mm ² x 2 mtr
Output Cable -	: 50 mm ² x 2 mtr
Dimensions	: 650 x 425 x 900 (mm)
Weight	: 37 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Pro Series (Dent Puller)

XMD.01 ANALOG

An analog dent puller with user-friendly design.

Operating Mode : Manual Triggering

Specifications

Input	: 230 V AC - 50 Hz
Output	: 10 K VA
Output Cable +	: 50 mm ² x 2 mtr
Output Cable -	: 50 mm ² x 2 mtr
Dimensions	: 650 x 425 x 900 (mm)
Weight	: 37 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangadu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Pro Series (Dent Puller)

XMD.001i ANALOG

Mini dent puller with efficient output
and analog user interface

Operating Mode : Manual Triggering

Specifications

Number of Modes	: 2 (Dent and Shrink)
Input	: 230 V AC - 50 Hz
Output	: 3200A Imax
Output KVA nominal	: 6 KVA
Output Voltage	: 7 V
Input Cable	: 2.5 mm ² 3 core x 6 mtr
Output Cable +	: 50 mm ² x 2 mtr
Output Cable -	: 50 mm ² x 2 mtr
Dimensions	: 700 x 420 x 100 (mm)
Weight	: 41 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Goda Series (Dent Puller)

AMG AUTO 3100

Fully automatic dent puller with high Amp output.

Operating Mode : Automatic Triggering

Specifications

Input	: 230 V AC - 50 Hz
Output	: 11.5 K VA
Output Cable +	: 70 mm ² x 2 mtr
Output Cable -	: 50 mm ² x 2 mtr
Dimensions	: 700 x 300 x 960 (mm)
Weight	: 30 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Goda Series (Dent Puller)

XMD.01 GODA

An unique and sleek machine designed for all floor terrain.

Operating Mode : Manual Triggering

Specifications

Input	: 230 V AC - 50 Hz
Output	: 10 K VA
Output Cable +	: 50 mm ² x 2 mtr
Output Cable -	: 50 mm ² x 2 mtr
Dimensions	: 700 x 420 x 100 (mm)
Weight	: 41 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangadu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Classic Series (Dent Puller)

XMD.02 ANALOG AUTOMATIC

Analog automatic dent repair system with powerful two-phase machine that helps to clear the big impacts and damages.

Operating Mode :
Automatic and Mannual Triggering

Specifications

Input	: 440 V AC - 50 Hz
Output	: 14 K VA
Output Cable +	: 70 mm ² x 2 mtr
Output Cable -	: 70 mm ² x 2 mtr
Dimensions	: 750 x 450 x 900 (mm)
Weight	: 48 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Classic Series (Dent Puller)

XMD.03 ANALOG

An analog dent repair system with both automatic and manual triggering operation. The machine comes along with a secondary gun for easy change over of welding accessories that results in rapid dent removal process.

Operating Mode :
Automatic and Manual Triggering

Specifications

Input	: 230 V AC - 50 Hz
Output	: 11.5 K VA
Output Cable +	: 70 mm ² x 2 mtr
Output Cable +	: 50 mm ² x 2 mtr
Output Cable -	: 50 mm ² x 2 mtr
Dimensions	: 750 x 450 x 900 (mm)
Weight	: 46 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Classic Series (Dent Puller)

XMD.05 DIGITAL AUTOMATIC

Digital automatic dent repair system that helps to clear the big impacts and damages.

Operating Mode :
Automatic and Manual Triggering

Specifications

Input	: 230 V AC - 50 Hz
Output	: 11.5 K VA
Output Cable +	: 70 mm ² x 2 mtr
Output Cable +	: 50 mm ² x 2 mtr
Output Cable -	: 50 mm ² x 2 mtr
Dimensions	: 1500 x 720 x 600 (mm)
Weight	: 68 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Rhino Series (Dent Puller)

XMD.02 ANALOG AUTOMATIC

Powerful two-phase machine with automatic triggering and analog interface, for heavy usage.

Operating Mode :
Automatic and Manual Triggering

Specifications

Input	: 440 V AC - 50 Hz
Output	: 14 K VA
Output Cable +	: 70 mm ² x 2 mtr
Output Cable +	: 70 mm ² x 2 mtr
Output Cable -	: 70 mm ² x 2 mtr
Dimensions	: 1500 x 720 x 600 (mm)
Weight	: 70 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Rhino Series (Dent Puller)

XMD.03 ANALOG AUTOMATIC

An analog automatic dent repair system with additional accessories that helps to remove the big impacts and damages.

Operating Mode :
Automatic and Manual Triggering

Specifications

Input	: 230 V AC - 50 Hz
Output	: 11.5 K VA
Output Cable +	: 70 mm ² x 2 mtr
Output Cable +	: 50 mm ² x 2 mtr
Output Cable -	: 50 mm ² x 2 mtr
Dimensions	: 1500 x 720 x 600 (mm)
Weight	: 68 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Rhino Series (Dent Puller)

XMD.04 DIGITAL AUTOMATIC

Digital automatic dent repair system with powerful two-phase machine that helps to clear the big impacts and damages.

Operating Mode :
Automatic and Mannual Triggering

Specifications

Input	: 440 V AC - 50 Hz
Output	: 14 K VA
Output Cable +	: 70 mm ² x 2 mtr
Output Cable +	: 70 mm ² x 2 mtr
Output Cable -	: 70 mm ² x 2 mtr
Dimensions	: 1500 x 720 x 600 (mm)
Weight	: 70 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Rhino Series (Dent Puller)

XMD.05 DIGITAL AUTOMATIC

Digital automatic dent repair system with additional accessories that helps to clear the big impacts and damages.

Operating Mode :
Automatic and Mannual Triggering

Specifications

Input	: 230 V AC - 50 Hz
Output	: 11.5 K VA
Output Cable +	: 70 mm ² x 2 mtr
Output Cable +	: 50 mm ² x 2 mtr
Output Cable -	: 50 mm ² x 2 mtr
Dimensions	: 1500 x 720 x 600 (mm)
Weight	: 68 kg (with all accessories & trolley)
Protection	: IP 21
Accessories	: Standard





📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Classic Series

Portable Battery Charger

CATBO 1205

Semi-professional battery chargers for lead storage batteries. Equipped with current selectors, ammeter, thermal overload and polarity protection.

Portable Battery Charger.

- > Suitable for charging Lead Acid Batteries
- > Charging Current Regulations
- > Overload Protection
- > Short Circuit Protection
- > Inversions of Polarity Protection
- > Manual Charge Breaker
- > CU : 100% Copper Windings

Specifications

Input	: 230 V - 50/60 HzV AC
Power	: 60 W
Battery Voltage	: 12 V
Battery Type	: Pb. WET - AGM - GEL
Amp. Eff	: 4 Amp
Battery Capacity	: Max 12 Ah
Charging Position	: 2
Net Weight	: 5 kg
Machine (LxWxH)	: 350 x 250 x 145 (mm)





📍 Kumbalangadu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Classic Series

Portable Battery Charger

CATBO 1220

Semi-professional battery chargers for lead storage batteries. Equipped with current selectors, ammeter, thermal overload and polarity protection.

Portable Battery Charger.

- > Suitable for charging Lead Acid Batteries
- > Charging Current Regulations
- > Overload Protection
- > Short Circuit Protection
- > Inversions of Polarity Protection
- > Manual Charge Breaker
- > CU : 100% Copper Windings

Specifications

Input	: 230 V - 50/60 HzV AC
Power	: 210 W
Battery Voltage	: 12 V
Battery Type	: Pb. WET - AGM - GEL
Amp. Eff	: 17 Amp
Battery Capacity	: Max 80 Ah
Charging Position	: 2
Net Weight	: 8.4 kg
Machine (LxWxH)	: 350 x 250 x 145 (mm)





📍 Kumbalangadu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

Classic Series

Portable Battery Charger

CATBO 2430

Semi-professional battery chargers for lead storage batteries. Equipped with voltage and current selectors, ammeter, thermal overload and polarity protection.

Portable Battery Charger.

- > Suitable for charging Lead Acid Batteries
- > Charging Current Regulations
- > Overload Protection
- > Short Circuit Protection
- > Inversions of Polarity Protection
- > Manual Charge Breaker
- > CU : 100% Copper Windings

Specifications

Input	: 230 V - 50/60 HzV AC
Power	: 600 W
Battery Voltage	: 12/24 V
Battery Type	: Pb. WET - AGM - GEL
Amp. Eff	: 25 Amp
Battery Capacity	: Max 120 Ah
Charging Position	: 4
Net Weight	: 11.5 kg
Machine (LxWxH)	: 365 x 245 x 195 (mm)





📍 Kumbalangadu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

MIG WELDING Machine

AUTO MIG 250XL

Specifications

Body Type : Steel
Input Volt : 440 V AC
Maximum Output : 14 K VA
Dimensions : 800 x 400 x 600 (mm)





📍 Kumbalangadu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

MIG WELDING Machine

AUTO MIG 250XL

Specifications

Body Type	: Steel
Input Volt	: 440 V AC
Maximum Output	: 14 K VA
Dimensions	: 800 x 400 x 600 (mm)





📍 Kumbalangadu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

MIG WELDING Machine

AUTO MIG 110XL

Specifications

Body Type	: Steel
Input Volt	: 230 V AC
Maximum Output	: 3.3 K VA
Dimensions	: 800 x 390 x 525 (mm)







📍 Kumbalangu, Thrissur
 ☎ 04884 234090, 7736388467
 ✉ info@mergemechano.com
 🌐 www.mergemechano.com

ACCESSORIES

Dent Puller




Sliding Hammer




Claw Jaw Hammer



Secondary Gun



Suction Pad




Earth Bolt



Long Washer Holder & Wiggle Wire Welding Tip



Carbon Rod




Wiggle Wire




Carbon Rod Holder & Round Washer Holder



Round Washer



Triangle Tip



Twisted Washer & Long Washer



Dent Puller Toolbox





📍 Kumbalangu, Thrissur
☎ 04884 234090, 7736388467
✉ info@mergemechano.com
🌐 www.mergemechano.com

SAFETY GEARS

MIG Welding Machine



Helmet







Gloves



Apron





 Kumbalangu, Thrissur
 04884 234090, 7736388467
 info@mergemechano.com
 www.mergemechano.com

ROUTE MAP To Company

